


KNAPHEIDE KUV BODIES





KNAPHEIDE UTILITY VAN

Working out of a Knapheide KUV keeps you organized and productive. Large perimeter bins are easy to access and keep your parts and tools separated into easy-to-manage spaces.

A spacious cargo storage area with corrugated steel floor for transporting drywall, larger tools, water heater, and oversized items.

KUV BODIES

The Knapheide KUV is available in multiple heights and lengths for different applications. It is designed to increase productivity and efficiency through better organization of parts and equipment for specialty contractors, including plumbers, HVACR technicians, electricians, and more.

No more looking for what you need — just grab and go!

POPULAR VOCATIONS









CONSTRUCTION

PLUMBING

ELECTRICAL

HVACR

3

A. DOUBLE PANELED DOORS

made of galvanneal steel (14-gauge outer panel, 20-gauge inner panel) are reinforced with internal braces for durability

B. TWO CONDUIT CHUTES

to transport copper pipes, PVC, and conduit

C. AUTOMOTIVE-QUALITY, **ROTARY-STYLE LATCHES**

make opening and closing easy

D. ELECTRODEPOSITION PRIME-PAINT SYSTEM

provides superior corrosion resistance

E. FLAT PANEL SPACE

provides rolling billboard to promote

F. INTEGRATED LED S/T/T AND **B/U, LED STROBE OPTION***

with (8) selectable patterns and built-in reflectivity for additional safety**

*Additional wire harness required for strobe lights **Covered under 3-year limited warranty





AERODYNAMIC WIND DEFLECTOR

Mounted on body above cab

Standard on KUV129SH-FT and KUV129DH-FT models





CARGO AREA AND CONDUIT CHUTE CAPACITY

10' in 129" bodies 12' in 153" bodies

FEATURES NOT SHOWN

COMPARTMENTS CAN BE LOCKED INDEPENDENTLY

GRAB HANDLE

TWO INTERIOR LED DOME LIGHTS

in cargo area with light switch inside the cargo doors

REFINED ABS PARTITION is equipped with a sliding cab access door and window. The door's slam latch can be locked from the cab and secured in either an open or closed position





S

Ш

 α

 \triangleleft

Ш

ш

Z Ш

 \sum

 α

<

Д

Σ

0

DOUBLE-SPRING OVER-CENTER RETAINER

on vertical compartment doors eliminate involuntary swing



NEOPRENE DOOR SEALS

protect compartments from the weather



POWER LOCKS

on rear cargo doors and side compartment doors offer enhanced operator convenience. System includes (2) key fobs.(Conduit chute doors do not have power locks.)



CONTINUOUS STAINLESS STEEL HINGES

are pry-proof and corrosion-resistant

STANDARD SHELVING



STREET AND CURB SIDE FRONT **VERTICAL COMPARTMENTS**

Two adjustable divider shelves and dividers, with a 250-lb. capacity



STREET AND CURB SIDE FULL **HEIGHT REAR VERTICAL** COMPARTMENTS

One adjustable divider shelf and dividers, with a 250-lb. capacity



CURB SIDE HORIZONTAL COMPARTMENT

One adjustable divider shelf and dividers, with a 250-lb. capacity



POPULAR OPTIONS



REAR VISION CAMERA



UPPER SIDE GLASS Available for Low and High Roof models. Not available for Ultra-Low models.



PULL OUT TRAY



E-TRACK



LED COMPARTMENT LIGHTING



MECHANICS VISE BRACKET Vise sold separately



REAR DOOR WINDOWS



ALUMINUM DRAWERS



SIDE MOUNT LADDER RACK



DROP-DOWN
LADDER
RACK
Prime Design



SIDE ACCESS DOOR Available for Low and High Roof models. Not available for Ultra-Low models.



CLASS IV RECEIVER HITCH



CORNER MOUNTED CARGO CRANE




3 BOW LADDER RACK





MODEL OPTIONS

KUV BODIES


CHASSIS MODEL	CHASSIS GVWR	CA	AXLE	DRIVE	CHASSIS WEIGHT	BODY MODEL	BODY WEIGHT	PAYLOAD
T-350 Cutaway W5P 3.5L EcoBoost or V6	9,500 lb.	82.5"	SRW	RWD	4,314 lb.	KUV129SU-FT	1,898 lb.	3,234 lb.
						KUV129SL-FT	1,884 lb.	3,248 lb.
						KUV129SH-FT	2,258 lb.	2,874 lb.
T-350 Cutaway W7P 3.5L EcoBoost or V6	9,500 lb.	82.5"	SRW	AWD	4,521 lb.	KUV129SU-FT	1,898 lb.	3,081 lb.
						KUV129SL-FT	1,884 lb.	3,095 lb.
						KUV129SH-FT	2,258 lb.	2,721 lb.
T-350 HD Cutaway F6P 3.5L EcoBoost or V6	9,950 lb.	82.5"	DRW	RWD	4,480 lb.	KUV129DU-FT	1,912 lb.	3,558lb.
						KUV129DL-FT	1,902 lb.	3,568 lb.
						KUV129DH-FT	2,003 lb.	3,467 lb.
T-350 HD Cutaway U6P 3.5L EcoBoost	11,000 lb.	82.5"	DRW	RWD	4,533 lb.	KUV129DU-FT	1,912 lb.	4,555lb.
						KUV129DL-FT	1,902 lb.	4,565 lb.
						KUV129DH-FT	2,003 lb.	4,464 lb.
T-350 HD Cutaway U8P 3.5L EcoBoost	11,000 lb.	82.5"	DRW	AWD	4,747 lb.	KUV129DU-FT	1,912 lb.	4,341 lb.
						KUV129DL-FT	1,902 lb.	4,351 lb.
						KUV129DH-FT	2,003 lb.	4,250 lb.
T-350 HD Cutaway U6P 3.5L EcoBoost	11,000 lb.	100.2"	DRW	RWD	4,642 lb.	KUV153DU-FT	2,209 lb.	4,149 lb.
						KUV153DL-FT	2,190 lb.	4,168 lb.
						KUV153DH-FT	2,574 lb.	3,784 lb.
T-350 HD Cutaway U8P 3.5L EcoBoost	11,000 lb.	100.2"	DRW	AWD	4,851 lb.	KUV153DU-FT	2,209 lb.	3,940lb.
						KUV153DL-FT	2,190 lb.	3,959 lb.
						KUV153DH-FT	2,574 lb.	3,575 lb.












KUV129SL-FT KUV129DL-FT KUV153DL-FT



KUV129SH-FT KUV129DH-FT KUV153DH-FT



SIX YEAR, LIMITED TIME WARRANTY



NO RUST THROUGH



DOOR HINGES
WILL NOT FAIL OR
COME OFF BODY



LATCHES AND LOCK CYLINDERS WILL NOT FAIL TO OPERATE



SHELVES WILL NOT BEND UNDER MAX. LOAD OF 250 LBS.

TO LEARN MORE VISIT

www.knapheide.com/warranty



NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

KNAPHEIDE. NEVER SETTLE.



The Knapheide Manufacturing Company 1848 Westphalia Strasse | Quincy, IL 62305 217-222-7131 www.knapheide.com