


KNAPHEIDE
SINCE 1848



**ALUMINUM
PLATFORM BODIES**

KNAPHEIDE ALUMINUM PLATFORM BODIES



AEROSPACE ASSEMBLY TECHNOLOGY

Assembled entirely from Grade 5 hardware and structural rivets that are coated specifically not to corrode with aluminum materials.

ALUMINUM PLATFORM BODIES

Lightweight and strong, the aluminum platform body can get the job done and last for years to come. Assembled with aerospace techniques and utilizing Military-grade aluminum extrusions, the aluminum platform body is class-leading in strength, durability and longevity.

Available in lengths from 6.5'-18'.

POPULAR VOCATIONS



CONSTRUCTION



AGRICULTURE



LANDSCAPING/
TREE CARE



OIL/MINING/GAS

A. COMPOSED OF MILITARY-GRADE ALUMINUM EXTRUSIONS

resulting in a body that is 40% lighter than steel, returning payload back to the operator

B. EXTERNAL 3/8" THICK MILITARY-GRADE ALUMINUM RUB RAILS

are attached to the sides with hardware for easy replacement in the event of damage

**not included on the 80" wide models*

C. REINFORCED STAKE POCKETS

are sized to accept Knapheide side options

D. MILITARY-GRADE ALUMINUM EXTRUDED FLOOR PLANKS

perform double-duty, providing exceptional styling and strength for the floor, as well as unmatched structural strength as the cross sills

E. ALL LED CLEARANCE AND MARKER LIGHTS

for visibility and added safety



ALPB-89
**Body may be shown with optional features*

UNDERSTRUCTURE FEATURES

SIDE RAILS

are extruded Military-grade aluminum channel with a tapered edge, providing protection to the floor planks and allowing for cargo and product to be loaded and unloaded without damage

INTEGRATED UNDER BODY TIE DOWNS

provides reinforced location for attaching cargo tie down straps

LONG SILLS

are an extended aluminum structural channel



SIDE OPTIONS

The addition of any of Knapheide's extensive platform side options can transform your platform into a multi-functional body for many uses.



STAKE RACKS

Stake racks are constructed with all-Military-grade aluminum extrusions for exceptional strength. Stake racks are made for bodies of all lengths and in 28" and 40" high sides. Rear body racks sections are available as well as swing-out rear sections.



12" DROP-IN RACKS

Drop-in racks provide a basic way to retain material in the load space.

Drop-in racks are available on 7'-18' length bodies.

**Optional bulkhead shown*



12" AND 18" DROP-DOWN RACKS

Drop-down racks provide hinge-down side and rear sections for enhanced retainment and access to the load space. Adding drop-down racks requires the removal of the rub rail from the side of the body.

Drop-down racks are available on 7'-12' length bodies.

**Optional bulkhead shown*



REFUSE SIDES PUNCHED OR SOLID

Refuse sides are compatible with a rectangular bulkhead. Rear doors are equipped with a latch and bail system, pivot up to 270 degrees and can be secured in the open or closed position. Refuse sides are available in 8'-14' lengths only and may be used in a wide range of applications, from trash hauling to landscaping.



BULKHEAD OPTIONS

All aluminum Knapheide platform bulkheads are constructed of Military-grade aluminum extrusions and .09" Marine-grade aluminum sheeting.



ALBH SERIES

Rectangular, drop-in style with punched window. Available for all body models.



ALBHG SERIES

Rectangular bulkhead that attaches through pockets and bolt-on gussets with punched window. Available for all body models.



ALBHRB SERIES

Rectangular bulkhead with bolt-on under body reinforcements and punched window. Available for all 96" and 102" wide body models.



ALBHRBT SERIES

Tapered to better match the cab angle with bolt-on under body reinforcements and punched window. Available for all 96" wide bodies in 36" and 40" heights.

REQUEST A QUOTE



Visit knapheide.com/quote and fill out the form to receive a quote and additional product information.




OTHER OPTIONS



INTEGRATED D-RING TIE-DOWNS



ICC BUMPER



UNDERBODY TOOLBOXES



SPARE TIRE RETAINER



UNDERBODY STORAGE COMPARTMENT



CLASS V RECEIVER HITCH
available with 12K or 21K ratings

MODEL OPTIONS

ALUMINUM PLATFORMS

LENGTH	CA	SRW MODELS (80" WIDE)	DRW MODELS (96" WIDE)	DRW MODELS (102" WIDE)
6'6"	31"	ALPB-668	-	-
7'6"	34"-42"	ALPB-768	-	-
7'6"	40"	ALPB-768-F ²	-	-
8'9"	56"	ALPB-898 ¹	ALPB-89 ¹	-
8'9"	56"	ALPB-898-F ²	ALPB-89-F ²	-
9'3"	60"	ALPB-938	ALPB-93	-
10'3"	72"-84"	-	ALPB-103	-
11'3"	84"	-	ALPB-113	-
12'3"	84"-102"	-	ALPB-123	ALPBW-123
13'3"	108"	-	ALPB-133	ALPBW-133
14'3"	102"-124"	-	ALPB-143	ALPBW-143
16'3"	108"-138"	-	ALPB-163	ALPBW-163
18'3"	120"-152"	-	ALPB-183	ALPBW-183

1. For GM/Ram utilizing factory receiver hitch
2. Ford utilizing factory receiver hitch

COMMITMENT TO CORROSION RESISTANCE

Aluminum bodies are naturally corrosion resistant. Where steel fasteners are used, those fasteners are coated with "EcoGuard" to eliminate the interaction between the steel and aluminum.

This aluminum assembly method allows us to create products with the highest level of corrosion resistance available.



FOLLOW US
LIKE US
TAG US



**TEN YEAR,
LIMITED TIME
WARRANTY**



**NO RUST
THROUGH**

**THREE YEAR,
LIMITED TIME
WARRANTY**



**FREE FROM
DEFECTS IN
WORKMANSHIP**



**FREE FROM
DEFECTS IN
MATERIALS**

TO LEARN MORE VISIT
www.knapheide.com/warranty



NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

KNAPHEIDE. NEVER SETTLE.



The Knapheide Manufacturing Company
1848 Westphalia Strasse | Quincy, IL 62305

217-222-7131

www.knapheide.com