

KNAPHEIDE
SINCE 1848



GENERAL MOTORS
STEEL
SERVICE BODIES

KNAPHEIDE STEEL SERVICE BODIES




STANDARD STEEL SERVICE BODIES

With a rugged steel construction and external storage for your tools and equipment, the Service Body is a key component in your day-to-day productivity.

The external compartments offer protection from outside elements and allow technicians to access their equipment without having to climb into the truck bed.

Staying organized both on and between job sites is important. Get maximum efficiency with a Knapheide Service Body.




SERVICE BODY STEEL SHELL

Rugged two-sided A-40 galvalneal steel body shell with a six year warranty. Complete undercoating provides an additional layer of corrosion protection.

POPULAR VOCATIONS



CONSTRUCTION



MUNICIPALITIES/
UTILITIES



OIL/MINING/GAS

A. DOUBLE-SHELL, 20-GAUGE, TWO-SIDED A-40 GALVANNEAL STEEL
compartment doors

B. ADJUSTABLE SECURITY RING STRIKERS
provide a weather-tight seal

C. INTERIOR COVER
protects internal latch from damage

D. SLAM-LOCK TAILGATE
with one-hand center release

E. UPGRADED SURFACE MOUNT LIGHTING SYSTEM
features LED S/T/T and B/U, LED strobe option* with (8) selectable patterns, and built-in reflectivity for additional safety**

*Additional wire harness required for strobe lights
**Lights covered by 3-year limited warranty



Note: Body may be shown with optional features.

FEATURES NOT SHOWN

QUICK-MOUNT INSTALLATION
allows for fast, safe mounting

EXCLUSIVE “RETURN FLANGE” FLOOR DESIGN
provides support

E-COAT PROTECTION
Knapheide Bodies are fully immersed in Knapheide's 12-step, electrodeposition prime paint system for superior corrosion resistance.

AUTOMOTIVE-QUALITY ROTARY LATCHES
with easy open handler

COMPARTMENT FEATURES



DOUBLE-SPRING OVER-CENTER RETAINER
on vertical compartment doors eliminate involuntary swing



NEOPRENE DOOR SEALS
protect compartments from the weather



CONTINUOUS STAINLESS STEEL HINGES
are pry-proof and corrosion-resistant



INTERIOR LIGHT GUARDS
protect recessed lighting and wiring

STANDARD SHELVING



STREET AND CURB SIDE FRONT VERTICAL COMPARTMENTS
Two adjustable divider shelves and dividers, with a 250-lb. capacity (1st and 2nd vertical 132" bodies only)



STREET AND CURB SIDE FULL HEIGHT REAR VERTICAL COMPARTMENTS
One adjustable divider shelf and dividers, with a 250-lb. capacity



CURB SIDE HORIZONTAL COMPARTMENT
One adjustable divider shelf and dividers, with a 250-lb. capacity

60" tall bodies include an extra divider shelf in each compartment, including one in the streetside horizontal

COMPARTMENT CONFIGURATIONS



500 SERIES COMPARTMENTS

The 500 Series Service Bodies feature a horizontal compartment that stretches from the first vertical compartment to the end of the body with a small, rear lower compartment.



600 SERIES COMPARTMENTS

The 600 Series Service Bodies feature a horizontal compartment that is positioned over the wheel well and one vertical compartment in the front of the body and one at the rear of the body.



700 SERIES COMPARTMENTS

The 700 Series has 500 Series configuration on the curb side and 600 Series on the street side.



LOW PROFILE BODY

Low Profile Bodies, denoted by “LP”, offer greater visibility from the cab while only sacrificing 4” of the body height compared to a standard Service Body.



RAISED FRONT COMPARTMENTS

This configuration raises the curb side front vertical compartment to 60” tall, denoted by “60”. “60-L” indicates raised front compartment on the street side (left) of the body, and “60-B” indicates raised front compartments on both sides.

FLIP TOP COMPARTMENTS

Flip Tops, denoted by “F”, allow for greater internal storage, organization and flexibility. Knapheide Flip Tops have a slammable top lid door and a convenient one-hand release located in the horizontal compartment.



PLUS 50 TRANSVERSE COMPARTMENTS

Plus 50 models feature a transverse compartment in the curb side front vertical extending to the street side compartment back. Plus 50 models have 50% more effective storage capacity. Models are denoted by “50”. Depending on body model, compartments have either two or three drawers, 59” or 69” long. All drawers are rated for 250-lb. and have dividers every 4”.



POPULAR OPTIONS

BUMPERS

Knapheide bumpers are constructed with work in mind. With three configurations, we have a bumper for every need. Select bumpers available with KnapLiner coating for additional friction and durability.



HITCH RECESS BUMPERS



STEP BUMPERS



STRAIGHT BUMPERS

CANOPY ROOF

The canopy roof option allows you to fully enclose your cargo area. Canopy roofs are available in three heights, straight sides, and with stationary or telescopic roofs. Full width roofs are also available. For a tapered-side one-piece body design, take a look at our KUVcc product line.



STRAIGHT SIDES



TELESCOPIC ROOF



SIDE ACCESS DOORS



SIDE LADDER RACKS



REAR ACCESS DOOR



TELESCOPIC SLIDING ROOF

Telescopic sliding roofs offer a robust enclosure for the cargo space of your Service Body, allowing you to protect your tools and equipment from theft and weather.



CRANE REINFORCEMENT KIT

The crane reinforcement kit option allows you to incorporate a crane up to 4,000 lb. capacity (16,000 ft-lb. max.) onto the rear curb side corner of your body.

RACKS

Adding a rack to your Service Body increases your storage space by getting your ladders and other long tools or equipment up and out of the way, making room to haul more items in your cargo area.

NOT PICTURED (APPLIES TO SIDE MOUNT & OVERHEAD LADDER RACKS):

LADDER RACK ROLLERS

LADDER RACK RAILS



UTILITY RACK
1,000 lb. capacity - forklift loadable



SIDE MOUNT LADDER RACK
150 lb. capacity



OVERHEAD LADDER RACK
300 lb. capacity



REQUEST A QUOTE

Visit knapheide.com/quote and fill out the form to receive a quote and additional product information.

POPULAR OPTIONS



MASTER LOCKS



POWER LOCKS



FRONT STROBE



LED COMPARTMENT LIGHTS



ALUMINUM TREAD PLATE TRIM KITS



PULL-OUT SHELVES



PULL-OUT TRAY



MODULAR CAB GUARD



GRAB HANDLES



CABLE STEPS



ALUMINUM DRAWERS



STEEL DRAWERS



MOUNTING KITS FOR REMOVABLE CRANE (SPITZLIFT)



METER TRAY WITH HOLES



SINGLE POINT OR THREE POINT T-HANDLE



REAR ACCESS DOOR



FLEX STEPS




WHEEL CHOCK HOLDER - FENDER SKIRT



ROCK GUARDS



CARGO TIE-DOWNS



REAR ACCESS DOOR WITH FULL-LENGTH SHELF



E-TRACK & ACCESSORIES





BOTTLE GAS RETAINER

MODEL OPTIONS

42" CA SINGLE REAR WHEEL

| MODEL | TYPE | HEIGHT | WEIGHT |
|--------|--------------|--------|-----------|
| 682 | Standard | 40" | 924 lb. |
| 682LP | Low Profile | 36" | 876 lb. |
| 682F | Flip Top (L) | 37.25" | 990 lb. |
| 682F40 | Flip Top (H) | 41.25" | 1,040 lb. |

| TRUCK | CAB | WHEELBASE | GVWR |
|----------|------------|-----------|-------------------|
| C/K20753 | Double Cab | 149.9" | 10,250/11,200 lb. |
| C/K20743 | Crew | 158.9" | 10,350/11,250 lb. |
| C/K30743 | Crew | 158.9" | 11,000/12,100 lb. |






"F" models only

60" CA DUAL REAR WHEEL - NARROW TRACK

| MODEL | TYPE | HEIGHT | WEIGHT |
|----------|--------------|--------|-----------|
| 6108D | Standard | 40" | 1,273 lb. |
| 6108DF | Flip Top (L) | 37.25" | 1,363 lb. |
| 6108DF40 | Flip Top (H) | 41.25" | 1,417 lb. |

| TRUCK | CAB | WHEELBASE | GVWR |
|----------|---------|-----------|------------|
| C/K31003 | Regular | 146.3" | 14,000 lb. |
| C/K31043 | Crew | 176.8" | 14,000 lb. |





"F" models only

56" CA SINGLE REAR WHEEL

| MODEL | TYPE | HEIGHT | WEIGHT |
|-----------|--------------|--------|-----------|
| 696 | Standard | 40" | 1,048 lb. |
| 696LP | Low Profile | 36" | 993 lb. |
| 696F | Flip Top (L) | 37.25" | 1,125 lb. |
| 696F40 | Flip Top (H) | 41.25" | 1,181 lb. |
| 696D38* | Standard | 40" | 1,064 lb. |
| 696D38LP* | Low Profile | 36" | 1,005 lb. |
| 696D38F* | Flip Top | 37.25" | 1,142 lb. |

*D38 models denote 38" wide floor and 20" deep compartments

| TRUCK | CAB | WHEELBASE | GVWR |
|----------|------------|-----------|-------------------|
| C/K20903 | Regular | 141.5" | 9,900/11,100 lb. |
| C/K20953 | Double Cab | 162.5" | 9,900/11,450 lb. |
| C/K20943 | Crew | 172" | 9,900/11,550 lb. |
| C/K30903 | Regular | 141.5" | 10,750/11,800 lb. |
| C/K30953 | Double Cab | 162.5" | 11,100/12,150 lb. |
| C/K30943 | Crew | 172" | 11,150/12,250 lb. |






"F" models only

60" CA DUAL REAR WHEEL - WIDE TRACK

| MODEL | TYPE | HEIGHT | WEIGHT |
|------------|--------------|--------|-----------|
| 6108D54 | Standard | 40" | 1,306 lb. |
| 6108D54F | Flip Top (L) | 37.25" | 1,391 lb. |
| 6108D54F40 | Flip Top (H) | 41.25" | 1,452 lb. |
| 6108D54H46 | Standard | 46" | 1,411 lb. |
| 6108D54H60 | Standard | 60" | 1,647 lb. |
| 6108D54LP | Low Profile | 36" | 1,245 lb. |

| TRUCK | CAB | WHEELBASE | GVWR |
|----------|---------|-----------|-------------------|
| C/K56403 | Regular | 141" | 15,000/23,500 lb. |
| C/K56043 | Crew | 175" | 15,000/23,500 lb. |

Not applicable with air bag rear suspension and rear fuel tank combination






"F" models only

56" CA DUAL REAR WHEEL

| MODEL | TYPE | HEIGHT | WEIGHT |
|-----------|--------------|--------|-----------|
| 696D54 | Standard | 40" | 1,205 lb. |
| 696D54LP | Low Profile | 36" | 1,146 lb. |
| 696D54F | Flip Top (L) | 37.25" | 1,279 lb. |
| 696D54F40 | Flip Top (H) | 41.25" | 1,339 lb. |

| TRUCK | CAB | WHEELBASE | GVWR |
|----------|------------|-----------|------------|
| C/K30903 | Regular | 141.5" | 14,000 lb. |
| C/K30953 | Double Cab | 162.5" | 14,000 lb. |
| C/K30943 | Crew | 172" | 14,000 lb. |






"F" models only

MODEL OPTIONS

84" CA DUAL REAR WHEEL - NARROW TRACK

| MODEL | TYPE | HEIGHT | WEIGHT |
|----------|--------------|--------|-----------|
| 6132D | Standard | 40" | 1,552 lb. |
| 6132DF | Flip Top (L) | 37.25" | 1,671 lb. |
| 6132DF40 | Flip Top (H) | 41.25" | 1,744 lb. |

| TRUCK | CAB | WHEELBASE | GVWR |
|----------|---------|-----------|------------|
| C/K31403 | Regular | 170.8" | 14,000 lb. |






"F" models only

84" CA DUAL REAR WHEEL - WIDE TRACK

| MODEL | TYPE | HEIGHT | WEIGHT |
|------------|--------------|--------|-----------|
| 6132D54 | Standard | 40" | 1,590 lb. |
| 6132D54F | Flip Top (L) | 37.25" | 1,710 lb. |
| 6132D54F40 | Flip Top (h) | 41.25" | 1,785 lb. |
| 6132D54H46 | Standard | 46" | 1,709 lb. |
| 6132D54H60 | Standard | 60" | 1,790 lb. |

| TRUCK | CAB | WHEELBASE | GVWR |
|----------|---------|-----------|-------------------|
| C/K56403 | Regular | 165" | 15,000/23,500 lb. |
| C/K56043 | Crew | 199" | 15,000/23,500 lb. |

Not applicable with air bag rear suspension and rear fuel tank combination





"F" models only

108" CA DUAL REAR WHEEL

| MODEL | TYPE | HEIGHT | WEIGHT |
|---------|----------|--------|-----------|
| 6157D54 | Standard | 40" | 1,920 lb. |

| TRUCK | CAB | WHEELBASE | GVWR |
|----------|---------|-----------|-------------------|
| C/K56403 | Regular | 189" | 14,001/23,500 lb. |



COMMITMENT TO
CORROSION RESISTANCE

Corrosion won't be a concern when you buy quality Knapheide products. To give you the best corrosion protection, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."

It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

This system allows us to create products with the highest level of corrosion resistance available.

SIX YEAR, LIMITED TIME WARRANTY



NO RUST THROUGH



DOOR HINGES WILL NOT FAIL OR COME OFF BODY



LATCHES AND LOCK CYLINDERS WILL NOT FAIL TO OPERATE



SHELVES WILL NOT BEND UNDER MAX. LOAD OF 250 LBS.

TO LEARN MORE VISIT
www.knapheide.com/warranty



NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

KNAPHEIDE. NEVER SETTLE.



The Knapheide Manufacturing Company
1848 Westphalia Strasse | Quincy, IL 62305
217-222-7131
www.knapheide.com



FOLLOW US
LIKE US
TAG US

