

**KNAPHEIDE**  
SINCE 1848



GENERAL MOTORS  
**STEEL**  
**SERVICE BODIES**



# KNAPHEIDE STEEL SERVICE BODIES




## STANDARD STEEL SERVICE BODIES

With a rugged steel construction and external storage for your tools and equipment, the Service Body is a key component in your day-to-day productivity.

The external compartments offer protection from outside elements and allow technicians to access their equipment without having to climb into the truck bed.

Staying organized both on and between job sites is important. Get maximum efficiency with a Knapheide Service Body.



## SERVICE BODY STEEL SHELL

Rugged two-sided A-40 galvaneal steel body shell with a six year warranty. Complete undercoating provides an additional layer of corrosion protection.

## POPULAR VOCATIONS



CONSTRUCTION



MUNICIPALITIES/  
UTILITIES



OIL/MINING/GAS

**A. DOUBLE-SHELL, 20-GAUGE, TWO-SIDED A-40 GALVANNEAL STEEL**  
compartment doors

**B. ADJUSTABLE SECURITY RING STRIKERS**  
provide a weather-tight seal

**C. INTERIOR COVER**  
protects internal latch from damage

**D. SLAM-LOCK TAILGATE**  
with one-hand center release

**E. UPGRADED SURFACE MOUNT LIGHTING SYSTEM**  
features LED S/T/T and B/U, LED strobe option\* with (8) selectable patterns, and built-in reflectivity for additional safety\*\*

\*Additional wire harness required for strobe lights  
\*\*Lights covered by 3-year limited warranty



Note: Body may be shown with optional features.

FEATURES NOT SHOWN

**QUICK-MOUNT INSTALLATION**  
allows for fast, safe mounting

**EXCLUSIVE "RETURN FLANGE" FLOOR DESIGN**  
provides support

**E-COAT PROTECTION**  
Knapheide Bodies are fully immersed in Knapheide's 12-step, electrodeposition prime paint system for superior corrosion resistance.

**AUTOMOTIVE-QUALITY ROTARY LATCHES**  
with easy open handler

COMPARTMENT FEATURES



**DOUBLE-SPRING OVER-CENTER RETAINER**  
on vertical compartment doors eliminate involuntary swing



**NEOPRENE DOOR SEALS**  
protect compartments from the weather



**CONTINUOUS STAINLESS STEEL HINGES**  
are pry-proof and corrosion-resistant



**INTERIOR LIGHT GUARDS**  
protect recessed lighting and wiring

STANDARD SHELVING



**STREET AND CURB SIDE FRONT VERTICAL COMPARTMENTS**  
Two adjustable divider shelves and dividers, with a 250-lb. capacity (1st and 2nd vertical 132" bodies only)



**STREET AND CURB SIDE FULL HEIGHT REAR VERTICAL COMPARTMENTS**  
One adjustable divider shelf and dividers, with a 250-lb. capacity



**CURB SIDE HORIZONTAL COMPARTMENT**  
One adjustable divider shelf and dividers, with a 250-lb. capacity

60" tall bodies include an extra divider shelf in each compartment, including one in the streetside horizontal

# COMPARTMENT CONFIGURATIONS



## 500 SERIES COMPARTMENTS

The 500 Series Service Bodies feature a horizontal compartment that stretches from the first vertical compartment to the end of the body with a small, rear lower compartment.



## 600 SERIES COMPARTMENTS

The 600 Series Service Bodies feature a horizontal compartment that is positioned over the wheel well and one vertical compartment in the front of the body and one at the rear of the body.



## 700 SERIES COMPARTMENTS

The 700 Series has 500 Series configuration on the curb side and 600 Series on the street side.



## LOW PROFILE BODY

Low Profile Bodies, denoted by “LP”, offer greater visibility from the cab while only sacrificing 4” of the body height compared to a standard Service Body.



## RAISED FRONT COMPARTMENTS

This configuration raises the curb side front vertical compartment to 60” tall, denoted by “60”. “60-L” indicates raised front compartment on the street side (left) of the body, and “60-B” indicates raised front compartments on both sides.



## FLIP TOP COMPARTMENTS

Flip Tops, denoted by “F”, allow for greater internal storage, organization and flexibility. Knapheide Flip Tops have a slammable top lid door and a convenient one-hand release located in the horizontal compartment.



## ROLL UP DOOR FRONT VERTICAL COMPARTMENTS

Roll Up Doors, denoted by “RDV”, are featured on both front vertical compartments of the body. Doors are of aluminum construction, with spring-loaded roller for easy operation.

*Available on all compartments via custom body quote.*



## THREE-DRAWER UNIT



## TWO-DRAWER UNIT

## PLUS 50 TRANSVERSE COMPARTMENTS

Plus 50 models feature a transverse compartment in the curb side front vertical extending to the street side compartment back. Plus 50 models have 50% more effective storage capacity. Models are denoted by “50”.

Depending on body model, compartments have either two or three drawers, 59” or 69” long. All drawers are rated for 250-lb. and have dividers every 4”.



# POPULAR OPTIONS

## BUMPERS

Knapheide bumpers are constructed with work in mind. With three configurations, we have a bumper for every need. Select bumpers available with KnapLiner coating for additional friction and durability.



HITCH RECESS BUMPERS



STEP BUMPERS



STRAIGHT BUMPERS

## CANOPY ROOF

The canopy roof option allows you to fully enclose your cargo area. Canopy roofs are available in three heights, straight sides, and with stationary or telescopic roofs. Full width roofs are also available. For a tapered-side one-piece body design, take a look at our KUVcc product line.



STRAIGHT SIDES



TELESCOPIC ROOF



SIDE ACCESS DOORS



SIDE LADDER RACKS



REAR ACCESS DOOR



## TELESCOPIC SLIDING ROOF

Telescopic sliding roofs offer a robust enclosure for the cargo space of your Service Body, allowing you to protect your tools and equipment from theft and weather.



## CRANE REINFORCEMENT KIT

The crane reinforcement kit option allows you to incorporate a crane up to 4,000 lb. capacity (16,000 ft-lb. max.) onto the rear curb side corner of your body.

## RACKS

Adding a rack to your Service Body increases your storage space by getting your ladders and other long tools or equipment up and out of the way, making room to haul more items in your cargo area.

NOT PICTURED (APPLIES TO SIDE MOUNT & OVERHEAD LADDER RACKS):

LADDER RACK ROLLERS

LADDER RACK RAILS



UTILITY RACK  
1,000 lb. capacity -  
forklift loadable



SIDE MOUNT  
LADDER RACK  
150 lb. capacity



OVERHEAD  
LADDER RACK  
300 lb. capacity





REQUEST A QUOTE

Visit [knapheide.com/quote](https://knapheide.com/quote) and fill out the form to receive a quote and additional product information.

POPULAR OPTIONS



MASTER LOCKS



POWER LOCKS



FRONT STROBE



LED COMPARTMENT LIGHTS



ALUMINUM TREAD PLATE TRIM KITS



PULL-OUT SHELVES



PULL-OUT TRAY



MODULAR CAB GUARD



GRAB HANDLES



CABLE STEPS



ALUMINUM DRAWERS



STEEL DRAWERS



MOUNTING KITS FOR REMOVABLE CRANE (SPITZLIFT)



METER TRAY WITH HOLES



SINGLE POINT OR THREE POINT T-HANDLE



REAR ACCESS DOOR



FLEX STEPS




WHEEL CHOCK HOLDER - FENDER SKIRT



ROCK GUARDS



CARGO TIE-DOWNS



REAR ACCESS DOOR WITH FULL-LENGTH SHELF



E-TRACK & ACCESSORIES






BOTTLE GAS RETAINER

# MODEL OPTIONS

## 42" CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
682	Standard	40"	924 lb.
682LP	Low Profile	36"	876 lb.
682F	Flip Top (L)	37.25"	990 lb.
682F40	Flip Top (H)	41.25"	1,040 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K20753	Double Cab	149.9"	10,250/11,200 lb.
C/K20743	Crew	158.9"	10,350/11,250 lb.
C/K30743	Crew	158.9"	11,000/12,100 lb.






"F" models only

## 60" CA DUAL REAR WHEEL - NARROW TRACK

MODEL	TYPE	HEIGHT	WEIGHT
6108D	Standard	40"	1,273 lb.
6108DF	Flip Top (L)	37.25"	1,363 lb.
6108DF40	Flip Top (H)	41.25"	1,417 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K31003	Regular	146.3"	14,000 lb.
C/K31043	Crew	176.8"	14,000 lb.





"F" models only

## 56" CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
696	Standard	40"	1,048 lb.
696LP	Low Profile	36"	993 lb.
696F	Flip Top (L)	37.25"	1,125 lb.
696F40	Flip Top (H)	41.25"	1,181 lb.
696D38*	Standard	40"	1,064 lb.
696D38LP*	Low Profile	36"	1,005 lb.
696D38F*	Flip Top	37.25"	1,142 lb.

\*D38 models denote 38" wide floor and 20" deep compartments

TRUCK	CAB	WHEELBASE	GVWR
C/K20903	Regular	141.5"	9,900/11,100 lb.
C/K20953	Double Cab	162.5"	9,900/11,450 lb.
C/K20943	Crew	172"	9,900/11,550 lb.
C/K30903	Regular	141.5"	10,750/11,800 lb.
C/K30953	Double Cab	162.5"	11,100/12,150 lb.
C/K30943	Crew	172"	11,150/12,250 lb.






"F" models only

## 60" CA DUAL REAR WHEEL - WIDE TRACK

MODEL	TYPE	HEIGHT	WEIGHT
6108D54	Standard	40"	1,306 lb.
6108D54F	Flip Top (L)	37.25"	1,391 lb.
6108D54F40	Flip Top (H)	41.25"	1,452 lb.
6108D54H46	Standard	46"	1,411 lb.
6108D54H60	Standard	60"	1,647 lb.
6108D54LP	Low Profile	36"	1,245 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K56403	Regular	141"	15,000/23,500 lb.
C/K56043	Crew	175"	15,000/23,500 lb.

Not applicable with air bag rear suspension and rear fuel tank combination






"F" models only

## 56" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
696D54	Standard	40"	1,205 lb.
696D54LP	Low Profile	36"	1,146 lb.
696D54F	Flip Top (L)	37.25"	1,279 lb.
696D54F40	Flip Top (H)	41.25"	1,339 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K30903	Regular	141.5"	14,000 lb.
C/K30953	Double Cab	162.5"	14,000 lb.
C/K30943	Crew	172"	14,000 lb.



"F" models only






MODEL OPTIONS

84" CA DUAL REAR WHEEL - NARROW TRACK

MODEL	TYPE	HEIGHT	WEIGHT
6132D	Standard	40"	1,552 lb.
6132DF	Flip Top (L)	37.25"	1,671 lb.
6132DF40	Flip Top (H)	41.25"	1,744 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K31403	Regular	170.8"	14,000 lb.






"F" models only

84" CA DUAL REAR WHEEL - WIDE TRACK

MODEL	TYPE	HEIGHT	WEIGHT
6132D54	Standard	40"	1,590 lb.
6132D54F	Flip Top (L)	37.25"	1,710 lb.
6132D54F40	Flip Top (h)	41.25"	1,785 lb.
6132D54H46	Standard	46"	1,709 lb.
6132D54H60	Standard	60"	1,790 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K56403	Regular	165"	15,000/23,500 lb.
C/K56043	Crew	199"	15,000/23,500 lb.

Not applicable with air bag rear suspension and rear fuel tank combination





"F" models only

108" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
6157D54	Standard	40"	1,920 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K56403	Regular	189"	14,001/23,500 lb.



COMMITMENT TO  
CORROSION RESISTANCE

Corrosion won't be a concern when you buy quality Knapheide products. To give you the best corrosion protection, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."

It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

This system allows us to create products with the highest level of corrosion resistance available.

SIX YEAR, LIMITED TIME WARRANTY



NO RUST  
THROUGH



DOOR HINGES  
WILL NOT FAIL OR  
COME OFF BODY



LATCHES AND  
LOCK CYLINDERS  
WILL NOT FAIL  
TO OPERATE



SHELVES WILL NOT  
BEND UNDER MAX.  
LOAD OF 250 LBS.

TO LEARN MORE VISIT  
[www.knapheide.com/warranty](http://www.knapheide.com/warranty)





## NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

**KNAPHEIDE. NEVER SETTLE.**



The Knapheide Manufacturing Company  
1848 Westphalia Strasse | Quincy, IL 62305  
**217-222-7131**  
[www.knapheide.com](http://www.knapheide.com)



FOLLOW US  
LIKE US  
TAG US

