


## KNAPHEIDE CONTRACTOR BODIES





#### **CONTRACTOR BODY UNDERSTRUCTURE**


PVMX platform base: 11-gauge high tensile strength steel cross sills on 18" centers with 5" structural C-Channel long sills. 14' platform bodies have 12" centers with 7" long sills.

\*Not shown - All bodies are undercoated to provide an extra layer of protection.

#### **CONTRACTOR BODIES**

Amp up the function of your platform by upgrading to the Contractor Body package. Storage, access and function are the calling card of this multi-functional unit. Carry and store all you need with the Knapheide Contractor Body.

#### **POPULAR VOCATIONS**



2

#### A. PVMX PLATFORM BASE:

11-gauge high tensile strength steel cross sills on 18" centers with 5" structural C-Channel long sills

#### **B. SIDE AND END RAILS**

are constructed of 12-gauge high tensile strength steel

#### **C. TOOLBOXES:**

(1) above body and (1) underbody toolbox on each side of the body. (Toolbox size is dependent on platform length.) Toolboxes include double panel door construction and 3-point T-handle latches

## D. SCREENED WINDOW BULKHEAD

is contoured to conform to the lines of the cab, while offering maximum visibility

#### E. ALL LED CLEARANCE AND MARKER LIGHTS

for visibility and added safety

#### F. MATERIAL RACK


is rated for 1,500 lb., is side forklift loadable, has swing-away rear cross bar and removable intermediate cross bars for loading taller items, and has tie down hooks to help secure your items

## G. 15" SIDE AND REAR STAKE RACKS

are hinged to drop down 180 degrees for maximum access. Rear stake rack is separated into two sections for additional functionality

#### H. FULL-HEIGHT TAILBOARD

at the rear of the above body toolboxes to separate the bed space





#### **CONTRACTOR**

RAM CHASSIS APPLICATION	BODY LENGTH	BODY WIDTH	1/8" TREAD PLATE FLOOR*	POLYBOARD FLOOR*	ABOVE BODY TOOLBOX DIMENSIONS	UNDERBODY TOOLBOX DIMENSIONS
3500-5500 DRW	9' (60 CA)	95.75"	PCON-9-B	PCONP-9-B	60"x18"x18"	36"x18"x18"
3500-5500 DRW	9' (60 CA)	95.75"	PCON-9-W	PCONP-9-W	60"x18"x18"	36"x18"x18"
3500-5500 DRW	12' (84 CA)	95.75"	PCON-12-B	PCONP-12-B	96"x18"x18"	56"x18"x18"
3500-5500 DRW	12' (84 CA)	95.75"	PCON-12-W	PCONP-12-W	96"x18"x18"	56"x18"x18"
3500-5500 DRW	14' (108/120 CA)	95.75"	PCON-14-B	PCONP-14-B	96"x18"x18"	60"x18"x18"
3500-5500 DRW	14' (108/120 CA)	95.75"	PCON-14-W	PCONP-14-W	96"x18"x18"	60"x18"x18"

POPULAR OPTIONS

### FEATURES NOT SHOWN

ALUMINUM TREAD
PLATE ROCK GUARDS

underbody toolbox

1/8" TREAD PLATE
STEEL OR POLYBOARD
are standard flooring

ELECTRODEPOSITION PRIME-PAINT SYSTEM

resistance

WHITE OR BLACK PAINT are standard



UNDERBODY STORAGE COMPARTMENT



ALUMINUM TREAD PLATE TRIM



KNAPHEIDE LED TAIL LIGHTS

**REQUEST A QUOTE** 

Visit knapheide.com/quote and fill

out the form to receive a quote

and additional product information.



CLASS V RECEIVER HITCH WITH ICC BUMPER

.

<sup>\* &</sup>quot;-W" denotes finish paint white, "-B" denotes finish paint black



# THREE YEAR, LIMITED TIME WARRANTY



NO RUST



FREE FROM
DEFECTS IN
WORKMANSHIP



FREE FROM DEFECTS IN MATERIALS

TO LEARN MORE VISIT www.knapheide.com/warranty



## **NEVER SETTLE**

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

KNAPHEIDE. NEVER SETTLE.



The Knapheide Manufacturing Company 1848 Westphalia Strasse | Quincy, IL 62305 217-222-7131 www.knapheide.com