


# KNAPHEIDE KUVcc BODIES





#### **KNAPHEIDE UTILITY VAN**

Working out of a Knapheide KUVcc keeps you organized and productive. Large perimeter bins are easy to access and keep your parts and tools separated into easy-to-manage spaces.

A spacious cargo storage area with corrugated steel floor for transporting drywall, larger tools, water heater, and oversized items.

3


#### **KUVcc BODIES**

The style and function of a KUV, designed for a cab chassis: the KUVcc is built to get the job done.

Providing both enclosed cargo and internal compartment storage, the KUVcc gives you the most efficient and secure storage possible.

Get the use of a truck and function of a KUV all-in-one with the KUVcc.

#### **POPULAR VOCATIONS**



2

#### **A. DOUBLE PANELED DOORS**

made of galvanneal steel (14-gauge outer panel, 20-gauge inner panel) are reinforced with internal braces for durability

# **B.** TWO CONDUIT CHUTES

to transport copper pipes, PVC, and

#### **C.** AUTOMOTIVE-QUALITY, **ROTARY-STYLE LATCHES**

make opening and closing easy

#### D. ELECTRODEPOSITION **PRIME-PAINT SYSTEM**

provides superior corrosion resistance

#### E. FLAT PANEL SPACE

provides rolling billboard to promote business

#### F. INTEGRATED LED S/T/T AND **B/U, LED STROBE OPTION\***

with (8) selectable patterns and built-in reflectivity for additional safety\*\*

\*Additional wire harness required for strobe lights \*\*Covered under 3-year limited warranty

#### **G. DOUBLE PANEL REAR CARGO DOORS**

lock and seal into the body frame. These 20-gauge galvanneal steel doors have nitrogen gas struts and slam latches.





#### CARGO AREA

One per side in Ultra Low models Two per side in Low, Medium, and High models

#### **CONDUIT CHUTE LENGTH**

8' on body lengths of 8' and 9' 10' on body lengths longer than 11'

# FEATURES NOT SHOWN

COMPARTMENTS CAN BE LOCKED INDEPENDENTLY

TWO INTERIOR LED DOME LIGHTS in cargo area with light switch

inside the cargo doors

**GRAB HANDLE** 



S

Ш

 $\alpha$ 

⋖

Ш

ш

Z

Ш

Σ

 $\alpha$ 

 $\triangleleft$ 

Д

Σ

0

 $\bigcirc$ 

#### **DOUBLE-SPRING OVER-CENTER RETAINER**

on vertical compartment doors eliminate involuntary swing





#### **MASTER LOCKING SYSTEM**

for piece of mind — locks down all of the side compartments in one move



#### **CONTINUOUS STAINLESS STEEL HINGES**

are pry-proof and corrosion-resistant

# STANDARD SHELVING



#### STREET AND CURB SIDE FRONT **VERTICAL COMPARTMENTS**

Two adjustable divider shelves and dividers, with a 250-lb. capacity



#### STREET AND CURB SIDE FULL **HEIGHT REAR VERTICAL** COMPARTMENTS

One adjustable divider shelf and dividers, with a 250-lb. capacity



#### **CURB SIDE HORIZONTAL** COMPARTMENT

One adjustable divider shelf and dividers, with a 250-lb. capacity



# POPULAR OPTIONS

# MODEL OPTIONS



POWER LOCKS



CODEABLE PADLOCK



UPPER SIDE GLASS



REAR VISION CAMERA



ALUMINUM DRAWERS



REAR DOOR WINDOWS



CLASS V RECEIVER HITCH



PULL OUT TRAY




POWER LIFTGATE Not available on SRW models



LED COMPARTMENT LIGHTING



MECHANICS VISE BRACKET Vise sold separately



CORNER MOUNTED CARGO CRANE



SIDE ACCESS DOOR



3 BOW LADDER RACK



SIDE MOUNT LADDER RACK



DROP-DOWN LADDER RACK Prime Design



AERODYNAMIC WIND DEFLECTOR

#### **56" CA SRW**

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC96U1478	97.25"	62"	78"	14.5"	44.5"	38.1"	45.1"	1,375 lb.
KC96L1478	97.25"	68"	78"	14.5"	44.5"	41.1"	51.1"	1,506 lb.
KC96M1478	97.25"	78"	78"	14.5"	44.5"	50.5"	61.1"	1,569 lb.

APPLICABLE CHASSIS	САВ	WHEELBASE	GVWR	
2500	Regular - Gas	140.5"	9,000/10,000 lb.	
3500	Regular	140.5"	10,100/11,500 lb.	
3500	Crew	169.5"	11,000/12,300 lb.	

Note: 10,000 lb. GVWR chassis and under have limited body applications. See local distributor for assistance.

#### **56" CA DRW**

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC96U2094	97.25"	62"	94"	20"	49.5"	38.1"	45.1"	1,607 lb.
KC96L2094	97.25"	68"	94"	20"	49.5"	41.1"	51.1"	1,765 lb.
KC96M2094	97.25"	78"	94"	20"	49.5"	50.5"	61.1"	1,838 lb.
KC96H2094	97.25"	90"	94"	20"	49.5"	63.1"	73.1"	1,958 lb.

APPLICABLE CHASSIS	САВ	WHEELBASE	GVWR	
3500	3500 Regular		13,300/14,000 lb.	
3500	Crew	169.5"	13,300/14,000 lb.	

#### 60" CA SRW

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC108U1478	107.25"	62"	78"	14.5"	44.5"	38.1"	45.1"	1,534 lb.
KC108L1478	107.25"	68"	78"	14.5"	44.5"	41.1"	51.1"	1,674 lb.
KC108M1478	107.25"	78"	78"	14.5"	44.5"	50.5"	61.1"	1,740 lb.

	APPLICABLE CHASSIS	САВ	WHEELBASE	GVWR
-	3500	Regular	143.5"	10,000/12,000 lb.
-	3500	Crew	172.4"	10,000/12,000 lb.

7

Note: 10,000 lb. GVWR chassis and under have limited body applications. See local distributor for assistance.

#### 60" CA DRW

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC108L2094	107.25"	68"	94"	20"	49.5"	41.1"	51.1"	1,904 lb.
KC108M2094	107.25"	78"	94"	20"	49.5"	50.5"	61.1"	1,983 lb.
KC108H2094	107.25"	90"	94"	20"	49.5"	63.1"	73.1"	2,102 lb.

APPLICABLE CHASSIS	САВ	WHEELBASE	GVWR
3500	Regular	143.5"	13,500/14,000 lb.
3500	Crew	172.4"	13,500/14,000 lb.
4500	Regular	144.5"	15,000/16,500 lb.
4500	Crew	173.4"	15,000/16,500 lb.
5500	Regular	144.5"	18,000/19,000 lb.
5500	Crew	173.4"	18,000/19,000 lb.

## 84" CA DRW

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC132L209	4 133.25"	68"	94"	20"	49.5"	41.1"	51.1"	2,279 lb.
KC132M209	133.25"	78"	94"	20"	49.5"	50.5"	61.1"	2,357 lb.
KC132H209	4 133.25"	90"	94"	20"	49.5"	63.1"	73.1"	2,517 lb.

APPLICABLE CHASSIS	CAB	WHEELBASE	GVWR
3500	Regular	167.5"	13,500/14,000 lb.
4500	Regular	168.5"	15,000/16,500 lb.
4500	Crew	197.4"	15,000/16,500 lb.
5500	Regular	168.5"	18,000/19,500 lb.
5500	Crew	197.5"	18,000/19,500 lb.

## 108" CA DRW

MODEL	BODY	BODY	BODY	COMPARTMENT	CLEAR DOOR	CLEAR DOOR	INTERIOR	BODY
	LENGTH	HEIGHT	WIDTH	DEPTH	WIDTH	HEIGHT	CLEAR HEIGHT	WEIGHT
KC157H2094	157.25"	90"	94"	20"	49.5"	63.1"	73.1"	2,962 lb.

_					
	APPLICABLE CHASSIS	САВ	WHEELBASE	GVWR	
Ī	4500	Regular	192.2"	15,000/16,500 lb.	
-	5500	Regular	192.2"	18,000/19,500 lb.	


## 120" CA DRW

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC169H2094	169.25"	90"	94"	20"	49.5"	63.1"	73.1"	3,213 lb.

APPLICABLE CHASSIS	САВ	WHEELBASE	GVWR	
4500	Regular	204.2"	15,000/16,500 lb.	
5500	Regular	204.2"	18.000/19.500 lb	


### **56" CA SRW**

**56" CA DRW** 




## 60" CA SRW

60" CA DRW




## 84" CA DRW

108" CA DRW



## 120" CA DRW





# SIX YEAR, LIMITED TIME WARRANTY



NO RUST THROUGH



DOOR HINGES
WILL NOT FAIL OR
COME OFF BODY



LATCHES AND LOCK CYLINDERS WILL NOT FAIL TO OPERATE



SHELVES WILL NOT BEND UNDER MAX. LOAD OF 250 LBS.

TO LEARN MORE VISIT www.knapheide.com/warranty



# **NEVER SETTLE**

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

KNAPHEIDE. NEVER SETTLE.



The Knapheide Manufacturing Company 1848 Westphalia Strasse | Quincy, IL 62305 217-222-7131 www.knapheide.com