


KNAPHEIDE **MECHANICS TRUCKS**

Knapheide Mechanics Trucks come equipped with standard features to help you get the job done. With secure side compartments and an oversized cargo space, you can carry everything you need.

Choose a Knapheide Mechanics Truck for the durability and functionality that





CRANE BODY UNDERSTRUCTURE

Unique torg-isolator crane support system transfers lift forces into the full length torsion box subframe and outriggers, and not the side compartments.

Reinforced rear vertical curb side compartment is independent of all other side compartments, eliminating flexing and twisting of side packs.

*Applies to all models with exception of the steel KMS16.

AKMT1 & KMT1 MODELS

The Knapheide KMT1 is purpose-built with heavy duty technicians and mechanics in mind. These bodies are built for crane load capacities of up to 8,600 lb. Knapheide KMT1 Mechanics Trucks are compatible with Class 5 trucks.

AKMS16, KMS16 & KMS30 MODELS

Knapheide AKMS16 and KMS16 trucks are equipped with an electric crane, while KMS30 trucks have the option of either an electric or hydraulic crane for lifting applications. Both are compatible with Class 3-5 trucks.

POPULAR VOCATIONS



A. DOUBLE PANELED DOORS

made of galvanneal steel are reinforced with internal braces for durability

B. 3-POINT T-HANDLE LATCHES

ensure your compartment doors stay closed and are individually lockable

C. MASTER LOCKING SYSTEM

locks down all compartments on one side with one motion

D. KNAPLINER BUMPER

provides work surface with lockable through compartment, a vise plate, and two grip strut flex steps

E. HEAVY DUTY ALUMINUM **GRAB HANDLES**

installed on both sides at rear of the body for easy cargo area access

F. INTEGRATED LED S/T/T AND B/U, LED STROBES

with (8) selectable patterns and built-in reflectivity mounted to external rear light boxes made of UV-resistant ABS material

G. 16" HIGH DOUBLE PANEL **SLAM TAILGATE**

with center latch and flat space for displaying company graphics

H. CAB PROTECTOR

welded on with fully punched window for visibility

I. (4) LED 3000 LUMEN **WORK LIGHTS**

installed (2 at front, 2 at rear) for low-light working conditions

J. HYDRAULIC OUTRIGGERS

out-and-down curb side and hydraulic down street side for crane stability during lifting operations

K. 55,000 FT-LB. CRANE

with 21' hydraulic reach, provided by a two-stage hydraulic extension (AKMT1, KMT1)

L. RECIPROCATING **HYDRAULIC COMPRESSOR**


up to 40 CFM

M. PLANETARY WINCH

provides a 60 ft. per minute single line speed

N. KNAPLINER

applied to cargo area floor, sides, compartment tops, bulkhead,





S

Ш

 α

⋖

Ш

ш

Z

Ш

Σ

 α

1

Д

Σ

0

 \bigcirc

DOUBLE-SPRING OVER-CENTER RETAINER

on vertical compartment doors eliminate involuntary swing



NEOPRENE DOOR SEALS

protect compartments from the weather



ADJUSTABLE DIVIDER SHELVES

250-lb. capacity



CONTINUOUS STAINLESS STEEL HINGES

are pry-proof and corrosion-resistant

CRANE COMPARTMENT



50' X 1/2" COMPRESSOR HOSE REEL AND ROLLER FAIRLEAD

through curb side vertical compartment



POLYETHYLENE FORMED DRIP PAN WITH DRAIN HOSE

placed under the crane manages water intrusion through the crane pedestal



KNAPHEIDE CONTROLLER

10 output system features two displays for user interface points of control. CAN bus system with continuous working load of 115 amps features built-in overload current protection for system and operator safety

FEATURES NOT SHOWN

SMALL PART STORAGE CONTAINERS

in horizontal compartment on street side

ALUMINUM MECHANIC 7-DRAWER SET

Extreme duty aluminum mechanic 7-drawer set on street side

ELECTRODEPOSITION PRIME-PAINT SYSTEM

MULTI-FUNCTION RADIO

provides convenient complete

REMOTE CONTROL

control of the crane

provides superior corrosion

each D-ring provides a 2,000 lb working load capacity

3/16" TREAD PLATE FLOOR

provides traction for safety

(6) D-RING CARGO TIE DOWNS

KNAPHEIDE'S WATER-BASED UNDERCOAT

Bodies are fully protected with Knapheide's water-based undercoat

12-GAUGE GALVANNEAL STEEL Compartment bottoms and end panels

4

A. CRANE COMPARTMENT

KMS16: crane reinforcement kit (CRK) KMS30: isolated crane pedestal

B. DOUBLE PANELED DOORS

made of galvanneal steel are reinforced with internal braces for durability

C. 3-POINT T-HANDLE LATCHES

ensure your compartment doors stay closed and are individually lockable

D. MASTER LOCKING SYSTEM

locks down all compartments on one side with one motion

E. KNAPLINER BUMPER

provides versatile work space on a flat surface

F. INTEGRATED LED S/T/T AND B/U, LED STROBES

with (8) selectable patterns and built-in reflectivity mounted to external rear light boxes made of UV-resistant ABS material

G. DOUBLE PANEL SLAM TAILGATE

with center latch and flat space for displaying company graphics

H. CAB PROTECTOR

welded on with fully punched window for visibility

I. (4) LED 3000 LUMEN **WORK LIGHTS**

installed for low-light working conditions

J. HEAVY DUTY ALUMINUM **GRAB HANDLES**

installed on both sides at rear of the body for easy cargo area access

K. (1) MANUAL OUTRIGGER

for crane stability during lifting operations

L. UP TO 16,000 FT-LB. CRANE


with 20' reach (AKMS16, KMS16)

UP TO 38,000 FT-LB. CRANE

with 21' reach (KMS30)

M. PLANETARY WINCH

provides a 15 ft. per minute single line speed



1/8" TREAD PLATE FLOOR

14-GAUGE GALVANNEAL

Compartment bottoms, floors

provides traction for safety

STEEL

and end panels

FEATURES NOT SHOWN

SMALL PART STORAGE CONTAINERS

in second horizontal compartment on street side

ALUMINUM MECHANIC 6-DRAWER SET

Extreme duty aluminum mechanic 6-drawer set on street side

D-RING CARGO TIE DOWNS

each D-ring provides a 2,000 lb. working load capacity (4 in 9' and 6 in 11')

KNAPHEIDE'S WATER-BASED UNDERCOAT

Bodies are fully protected with Knapheide's water-based undercoat

ELECTRODEPOSITION PRIME-PAINT SYSTEM

provides superior corrosion resistance

TORSION BOX SUBFRAME

S

Ш

 α

⋖

Ш

ш

Z

Ш

Σ

 α

< Д

Σ

0

 \bigcirc

DOUBLE-SPRING OVER-CENTER RETAINER

on vertical compartment doors eliminate involuntary swing



NEOPRENE DOOR SEALS

protect compartments from the weather



ADJUSTABLE DIVIDER SHELVES

250-lb. capacity



CONTINUOUS STAINLESS STEEL HINGES

are pry-proof and corrosion-resistant



POLYETHYLENE FORMED DRIP PAN WITH DRAIN HOSE

placed under the crane manages water intrusion through the crane pedestal

CRANE COMPARTMENT

KMS16 OFFERS A: CRANE REINFORCEMENT KIT

allows you to incorporate a crane up to 4,000 lb. capacity (16,000 ft-lb. max.) onto the rear curb side corner of your body as shown on KMS16.



MODEL OPTIONS

AKMT1 & KMT1

MODEL	GVWR MIN./RANGE	BUMPER	BODY LENGTH	BODY MATERIAL	COMPARTMENT HEIGHT	COMPARTMENT DEPTH	CARGO AREA WIDTH	TOPS & BACKS	REAR HITCH
AKMT1-11	19,500	21" with step down	11'	Aluminum	44", 60" raised front option	22"	50"	1/8" smooth steel	2.5" receiver tube below bumper
KMT1-11				Steel					

AKMS16, KMS16 & KMS30

MODEL	GVWR MIN./RANGE	MAXIMUM CRANE	BUMPER	BODY LENGTH	BODY MATERIAL	COMPARTMENT HEIGHT	COMPARTMENT DEPTH	CARGO AREA WIDTH	REAR HITCH
AKMS16-9	13,300-19,500	16,000 ft-lb.	21" with outrigger tube	9'	Aluminum	44", 60" raised front option	22"	50"	2.5" receiver tube below bumper
KMS16-9					Steel				
AKMS16-11	13,300-19,500	16,000 ft-lb.	21" with outrigger tube	11'	Aluminum	44", 60" raised front option	22"	50"	2.5" receiver tube below bumper
KMS16-11					Steel				
KMS30-11	15,000-19,500	38,000 ft-lb.	12" with outrigger tube	11'	Steel	44", 60" raised front option	22"	50"	2.5" receiver tube below bumper

KNAPHEIDE ALUMINUM MECHANICS TRUCKS

ARE THE ANSWER TO YOUR PAYLOAD NEEDS

AKMS16-09 has weight reduction of approximately 530 lbs.* AKMS16-11 has weight reduction of approximately 650 lbs.*

*AKMT/AKMS are installed packages only

POPULAR OPTIONS



AUXILIARY LIGHTING



WELDER



LED COMPARTMENT LIGHTS



CARGO **COVER**



ADDITIONAL MECHANIC **DRAWERS**



STEEL MECHANIC **DRAWERS**



APU UNIT



LUBE SKID







SIX YEAR, LIMITED TIME WARRANTY ON

STEEL MECHANICS TRUCKS

TEN YEAR, LIMITED TIME WARRANTY ON

ALUMINUM MECHANICS TRUCKS



NO RUST THROUGH



DOOR HINGES
WILL NOT FAIL OR
COME OFF BODY



LATCHES AND LOCK
CYLINDERS WILL NOT
FAIL TO OPERATE



SHELVES WILL NOT BEND UNDER MAX. LOAD OF 250 LBS.

TO LEARN MORE VISIT www.knapheide.com/warranty



NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

KNAPHEIDE. NEVER SETTLE.



The Knapheide Manufacturing Company 1848 Westphalia Strasse | Quincy, IL 62305 217-222-7131 www.knapheide.com