KNAPHEIDE SINCE 1848



FORD TRANSIT

ALUMINUM KUV BODIES

KNAPHEIDE ALUMINUM KUV BODIES





ALUMINUM KNAPHEIDE UTILITY VAN

Working out of a Knapheide KUV keeps you organized and productive. Large perimeter bins are easy to access and keep your parts and tools separated into easy-to-manage spaces.

A spacious cargo storage area with interlocking aluminum extrusion floor for transporting drywall, larger tools, water heater, and oversized items.

3

ALUMINUM KUV BODIES

The Knapheide Aluminum KUV is available in multiple heights and lengths for different applications. It is designed to increase productivity and efficiency through better organization of parts and equipment for specialty contractors, including plumbers, HVACR technicians, electricians, and more.

No more looking for what you need — just grab and go!

POPULAR VOCATIONS



2

A. BODY HAS AN AEROSPACE DESIGN AND ASSEMBLY

for unmatched durability. Composed of military grade aluminum extrusions

B. GALVA-GRIP BUMPER WITH KNAPLINER

for increased grip, durability, and corrosion resistance

C. INTEGRATED LED S/T/T AND B/U, LED STROBE OPTION*

with (8) selectable patterns and builtin reflectivity for additional safety**

*Additional wire harness required for strobe lights **Covered under 3-year limited warranty

D. TWO REAR LOCKABLE CONDUIT CHUTES

providing quick access for longer items

E. SOLID REAR DOORS ARE STANDARD

providing increased security. Underlap rear door features an interior release handle that is ergonomically friendly Knapheide (or OEM) white paint on exterior, compartment interiors, and cargo area of service body

F. AUTOMOTIVE-QUALITY, PADDLE-ACTIVATED ROTARY STYLE LATCHES

make opening and closing easy, providing access to spacious side compartments





CARGO AREA AND CONDUIT CHUTE CAPACITY

10' in 129" bodies



AERODYNAMIC WIND DEFLECTOR

models only)

Mounted on body above cab
(Standard on DH and SH

FEATURES NOT SHOWN

COMPARTMENTS CAN BE LOCKED INDEPENDENTLY for maximum security

INTERIOR LED DOME LIGHT

in cargo area with light switch inside the cargo doors

REFINED ABS PARTITION

is equipped with a sliding cab access door and window. The door's slam latch can be locked from the cab and secured in either an open or closed position

GRAB HANDLE

(rear right)



S

Ш

 α

 \triangleleft

Ш

ш

Z

Ш

Σ

 α

₽ A

Σ

0

 \bigcirc

POWER LOCKS

on rear cargo doors and side compartment doors offer enhanced operator convenience. System includes (2) key fobs. (Conduit chute doors do not have power locks)



NITROGEN STRUT DOOR RETAINERS

on vertical compartment doors eliminate involuntary swing



INSET DOOR FRAME DESIGN WITH DOUBLE TRAY ALUMINUM DOORS AND NEOPRENE SEALS

for weather-tight closing



CONTINUOUS ALUMINUM HINGE WITH STAINLESS STEEL RODS

are pry-proof and corrosion-resistant

STANDARD SHELVING



STREET AND CURB SIDE FRONT VERTICAL COMPARTMENTS

Two adjustable divider shelves and dividers, with a 250-lb. capacity



STREET AND CURB SIDE FULL HEIGHT REAR VERTICAL COMPARTMENTS

One adjustable divider shelf and dividers, with a 250-lb. capacity



CURB SIDE HORIZONTAL COMPARTMENT

One adjustable divider shelf and dividers, with a 250-lb. capacity



POPULAR OPTIONS



REAR VISION CAMERA



ALUMINUM DRAWERS



PULL OUT TRAY



3 BOW LADDER RACK



SIDE ACCESS DOOR Available for Low and High Roof models. Not available for Ultra-Low

models.



VISE BRACKET

Available for Low and

7

Available for Low and High Roof models. Not available for Ultra-Low models.

MECHANICS



CLASS IV RECEIVER HITCH



E-TRACK



LED COMPARTMENT LIGHTING



SIDE MOUNT LADDER RACK



UPPER SIDE GLASS Available for Low and High Roof models. Not available for Ultra-Low

models.

 $oldsymbol{6}$

ALUMINUM KUV BODIES


CHASSIS MODEL	WHEELBASE	CHASSIS WEIGHT	BODY MODEL	BULK CARGO AREA	TOTAL STORAGE	COMPARTMENT AREA	BODY HEIGHT	BODY WEIGHT	CHASSIS GVWR	PAYLOAD
TRANSIT W5P	138"	4,314 lb.	AKUV129SU-FT	271 cu. ft.	332 cu. ft.	61 cu. ft.	74"	1,233 lb.	9,500 lb.	3,953 lb.
TRANSIT W5P	138"	4,314 lb.	AKUV129SL-FT	293 cu. ft.	354 cu. ft.	61 cu. ft.	78"	1.253 lb.	9,500 lb.	3,933 lb.
TRANSIT W5P	138"	4,314 lb.	AKUV129SH-FT	360 cu. ft.	421 cu. ft.	61 cu. ft.	90"	1,315 lb.	9,500 lb.	3,871 lb.
TRANSIT F6P	138"	4,480 lb.	AKUV129DU-FT	269 cu. ft.	330 cu. ft.	61 cu. ft.	74"	1,233 lb.	9,950 lb.	4,237 lb.
TRANSIT F6P	138"	4,480 lb.	AKUV129DL-FT	291 cu. ft.	352 cu. ft.	61 cu. ft.	78"	1,253 lb.	9,950 lb.	4,217 lb.
TRANSIT F6P	138"	4,480 lb.	AKUV129DH-FT	358 cu. ft.	419 cu. ft.	61 cu. ft.	90"	1,314 lb.	9,950 lb.	4,156 lb.

*Body weight is calculated with standard shelving


**Chassis weight, GVWR, and payload subject to change


***"D" model bodies have cargo area wheel housings (not shown)


AKUV129SL-FT / AKUV129DL-FT





AKUV129SU-FT / AKUV129DU-FT



















AKUV129SH-FT / AKUV129DH-FT














8



TEN YEAR, **LIMITED TIME WARRANTY**



THROUGH



DOOR HINGES WILL NOT FAIL OR COME OFF BODY



LATCHES AND LOCK CYLINDERS WILL NOT FAIL TO OPERATE



SHELVES WILL NOT BEND UNDER MAX. LOAD OF 250 LBS.

TO LEARN MORE VISIT www.knapheide.com/warranty



NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

KNAPHEIDE. NEVER SETTLE.



The Knapheide Manufacturing Company 1848 Westphalia Strasse | Quincy, IL 62305 217-222-7131 www.knapheide.com